





tubazioni preisolate

Iper Flessibili


Il teleriscaldamento smart


TUBAZIONE TERRENDIS Singola riscaldamento / raffrescamento						
Codice articolo	Guaina Ø mm	PE-Xa			€	um
		Ø mm	Ø pollici	DN		
H7525	75	25	3/4"	20	42,00	m
H11025	110	25	3/4"	20	59,00	m
H9032	90	32	1"	25	48,00	m
H11032	110	32	1"	25	60,00	m
H11040	110	40	1"1/4	32	63,00	m
H14040	140	40	1"1/4	32	77,00	m
H14050	140	50	1"1/2	40	84,00	m
H16050	160	50	1"1/2	40	93,00	m
H14063	140	63	2"	50	95,00	m
H16063	160	63	2"	50	110,00	m
H16075	160	75	2"1/2	65	120,00	m
H20075	200	75	2"1/2	65	145,00	m
H16090	160	90	3"	80	139,00	m
H20090	200	90	3"	80	165,00	m
H22590	225	90	3"	80	210,00	m
H200110	200	110	4"	100	187,00	m
H225110	225	110	4"	100	249,00	m
H200125	200	125	5"	125	260,00	m
H225125	225	125	5"	125	287,00	m


TUBAZIONE TERRENDIS Doppia riscaldamento / raffrescamento						
Codice articolo	Guaina Ø mm	PE-Xa			€	um
		Ø mm	Ø pollici	DN		
HD14025	140	25	3/4" - 3/4"	20 - 20	75,00	m
HD16025	160	25	3/4" - 3/4"	20 - 20	90,00	m
HD14032	140	32	1" - 1"	25 - 25	82,00	m
HD16032	160	32	1" - 1"	25 - 25	92,00	m
HD14040	140	40	1"1/4 - 1"1/4	32 - 32	93,00	m
HD16040	160	40	1"1/4 - 1"1/4	32 - 32	100,00	m
HD16050	160	50	1"1/2 - 1"1/2	40 - 40	119,00	m
HD20050	200	50	1"1/2 - 1"1/2	40 - 40	144,00	m
HD20063	200	63	2" - 2"	50 - 50	166,00	m
HD22563	225	63	2" - 2"	50 - 50	211,00	m
HD22575	225	75	2"1/2 - 2"1/2	65 - 65	255,00	m


TUBAZIONE TERRENDIS Pompe di calore idroniche						
Codice articolo	Guaina Ø mm	PE-Xa			€	um
		Ø mm	Ø pollici	DN		
HP14032E32	140	32	1"	25	111,00	m
HP16040E32	160	40	1"1/4	32	147,00	m
HP16050E32	160	50	1"1/2	40	176,00	m


NOTA: Le guaine corrugate di tutte le tubazioni hanno diametro 32 mm


TUBAZIONE TERRENDIS Singola acqua fredda / refrigerata con cavo scaldane						
Codice articolo	Guaina Ø mm	PE-HD			€	um
		Ø mm	Ø pollici	DN		
C7532W10	75	32	1"	35	65,00	m
C9040W10	90	40	1"1/4	32	90,00	m
C14050W10	140	50	1"1/2	40	99,00	m
C14063W10	140	63	2"	50	102,00	m
C16075W10	160	75	2"1/2	65	121,00	m
C16090W10	160	90	3"	80	129,00	m
C200110W10	200	110	4"	100	171,00	m
C200125W10	200	125	5"	125	213,00	m


TUBAZIONE TERRENDIS Singola sanitario						
Codice articolo	Guaina Ø mm	PE-Xa			€	um
		Ø mm	Ø pollici	DN		
S7525	75	25	3/4"	20	49,00	m
S9032	90	32	1"	25	59,00	m
S14032	140	32	1"	25	75,00	m
S16032	160	32	1"	25	89,00	m
S9040	90	40	1"1/4	32	69,00	m
S14040	140	40	1"1/4	32	87,00	m
S16040	160	40	1"1/4	32	97,00	m
S14050	140	50	1"1/2	40	92,00	m
S16050	160	50	1"1/2	40	108,00	m
S14063	140	63	2"	50	107,00	m
S16063	160	63	2"	50	123,00	m
S16075	160	75	2"1/2	65	158,00	m
S20075	200	75	2"1/2	65	172,00	m
S16090	160	90	3"	80	194,00	m
S20090	200	90	3"	80	217,00	m
S200110	200	110	4"	100	249,00	m


TUBAZIONE TERRENDIS Doppia sanitario						
Codice articolo	Guaina Ø mm	PE-Xa			€	um
		Ø mm	Ø pollici	DN		
SD1402520	140	25-20	3/4" - 1/2"	20 - 15	75,00	m
SD1403225	140	32-25	1" - 3/4"	25 - 20	88,00	m
SD16025	160	25-25	3/4" - 3/4"	20 - 20	91,00	m
SD1603225	160	32-25	1" - 3/4"	25 - 20	99,00	m
SD1604025	160	40-25	1"1/4" - 3/4"	32 - 20	107,00	m
SD1605025	160	50-25	1"1/2" - 3/4"	40 - 20	117,00	m
SD1605032	160	50-32	1"1/2" - 1"	40 - 25	124,00	m


TUBAZIONE TERRENDIS Quadrupla riscaldamento / raffrescamento e sanitario						
Codice articolo	Guaina Ø mm	PE-Xa			€	um
		Ø mm	Ø pollici	DN		
Q160H25S2520	160	25-25-20	3/4"-3/4"-1/2"	20 - 20 - 15	116,00	m
Q160H32S2520	160	32-25-20	1"-3/4"-1/2"	25 - 20 - 15	119,00	m
Q160H32S3225	160	32-32-25	1"-1"-3/4"	25 - 25 - 20	143,00	m
Q200H40S4032	200	40-40-32	1"1/4" - 1"1/4" - 1"	32 - 32 - 25	222,00	m


TUBAZIONE TERRENDIS Singola acqua fredda / refrigerata						
Codice articolo	Guaina Ø mm	PE-HD			€	um
		Ø mm	Ø pollici	DN		
C7525	75	25	3/4"	20	35,00	m
C9032	90	32	1"	25	41,00	m
C9040	90	40	1"1/4	32	45,00	m
C14050	140	50	1"1/2	40	69,00	m
C14063	140	63	2"	50	73,00	m
C16075	160	75	2"1/2	65	94,00	m
C16090	160	90	3"	80	104,00	m
C200110	200	110	4"	100	153,00	m
C200125	200	125	5"	125	185,00	m


TAPPO ANTIPOLVERE TERRENDIS				
Singolo				
Codice articolo	Guaina Ø mm	Tubo PE Ø mm	€	um
DEC75/25	75	25	12,00	pz
DEC75/32	75	32	12,00	pz
DEC90/32	90	32	12,00	pz
DEC90/40	90	40	12,00	pz
DEC110/25	110	25	12,00	pz
DEC110/32	110	32	12,00	pz
DEC110/40	110	40	12,00	pz
DEC140/32	140	32	12,00	pz
DEC140/40	140	40	12,00	pz
DEC140/50	140	50	12,00	pz
DEC140/63	140	63	12,00	pz
DEC160/32	160	32	12,00	pz
DEC160/40	160	40	12,00	pz
DEC160/50	160	50	12,00	pz
DEC160/63	160	63	12,00	pz
DEC160/75	160	75	12,00	pz
DEC160/90	160	90	12,00	pz
DEC200/75	200	75	12,00	pz
DEC200/90	200	90	12,00	pz
DEC200/110	200	110	12,00	pz
DEC200/125	200	125	12,00	pz
DEC225/90	225	90	12,00	pz
DEC225/110	225	110	12,00	pz
DEC225/125	225	125	12,00	pz


TAPPO TERMORETRAIBILE TERRENDIS				
Singolo				
Codice articolo	Guaina Ø mm	Tubo PE Ø mm	€	um
SEC/75	75	25 - 32	42,00	pz
SEC/90	90	32 - 40	53,00	pz
SEC/110	110	25 - 32 - 40	75,00	pz
SEC/140-S	140	32 - 40	81,00	pz
SEC/140	140	50 - 63	83,00	pz
SEC/160-S	160	32 - 40 - 50	85,00	pz
SEC/160	160	63 - 75 - 90	92,00	pz
SEC/200-S	200	75 - 90 - 110	133,00	pz
SEC/200	200	125	148,00	pz
SEC/225	225	90 - 110 - 125	172,00	pz


TAPPO ANTIPOLVERE TERRENDIS				
Quadruplo				
Codice articolo	Guaina Ø mm	Tubo PE Ø mm	€	um
DECQ140/H32S3225	140	H 32-32 S 32-25	12,00	pz
DECQ160/H25S2520	160	H 25-25 S 25-20	12,00	pz
DECQ160/H32S2520	160	H 32-32 S 25-20	12,00	pz
DECQ160/H32S3225	160	H 32-32 S 32-20	12,00	pz
DECQ160/H40S4040	160	H 40-40 S 40-40	12,00	pz
DECQ200/H40S4032	160	H 32-32 S 32-32	12,00	pz
DECQ140/H32S3232	140	H 32-32 S 32-32	12,00	pz
DECQ160/H40S3232	160	H 40-40 S 32-32	12,00	pz
DECQ160/H450S3232	160	H 50-50 S 32-32	12,00	pz

TAPPO ANTIPOLVERE TERRENDIS				
Doppio				
Codice articolo	Guaina Ø mm	Tubo PE Ø mm	€	um
DECD140/25	140	25 - 25	12,00	pz
DECD140/32	140	32 - 32	12,00	pz
DECD140/2520	140	25 - 20	12,00	pz
DECD140/3225	140	32 - 25	12,00	pz
DECD160/25	160	25 - 25	12,00	pz
DECD160/32	160	32 - 32	12,00	pz
DECD140/40	140	40 - 40	12,00	pz
DECD160/40	160	40 - 40	12,00	pz
DECD160/50	160	50 - 50	12,00	pz
DECD160/3225	160	33 - 25	12,00	pz
DECD160/4025	160	40 - 25	12,00	pz
DECD160/5025	160	50 - 25	12,00	pz
DECD160/5032	160	50 - 32	12,00	pz
DECD200/50	200	50 - 50	12,00	pz
DECD200/63	200	63 - 63	12,00	pz
DECD225/63	225	63 - 63	12,00	pz
DECD225/75	225	75 - 75	12,00	pz


TAPPO TERMORETRAIBILE TERRENDIS				
Quadruplo				
Codice articolo	Guaina Ø mm	Tubo PE Ø mm	€	um
SECQ/10	140 - 160	20 - 25 - 32 - 40 - 50	210,00	pz

RACCORDO TERRENDIS				
Diritto maschio PE riscaldamento				
Codice articolo	Tubo PE Ø x SP mm	Filetto	€	um
HC25/0.75M	25x2,3	3/4" M	41,00	pz
HC32/1M	32x2,9	1" M	46,00	pz
HC40/1.25M	40x3,7	1 1/4" M	59,00	pz
HC50/1.5M	50x4,6	1 1/2" M	75,00	pz
HC63/2M	63x5,8	2" M	123,00	pz
HC75/2.5M	75x6,8	2 1/2" M	181,00	pz
HC90/3M	90x8,2	3" M	298,00	pz
HC110/4M	110x10,0	4" M	413,00	pz
HC125/4M	125x11,4	4" M	619,00	pz


TAPPO TERMORETRAIBILE TERRENDIS				
Doppio				
Codice articolo	Guaina Ø mm	Tubo PE Ø mm	€	um
SECD/140	140	25 - 32 - 40	151,00	pz
SECD/160	160	25 - 32 - 40 - 50	152,00	pz
SECD/200-S	200	50	184,00	pz
SECD/200	200	63	190,00	pz
SECD/225	225	63 - 75	196,00	pz


RACCORDO TERRENDIS				
Diritto maschio PE sanitario				
Codice articolo	Tubo PE Ø x SP mm	Filetto	€	um
SC20/0.75M	20x2,8	3/4" M	39,00	pz
SC25/0.75M	25x3,5	3/4" M	32,00	pz
SC32/1M	32x4,4	1" M	39,00	pz
SC40/1.25M	40x5,5	1 1/4" M	61,00	pz
SC50/1.5M	50x6,9	1 1/2" M	80,00	pz
SC63/2M	63x8,6	2" M	130,00	pz
SC75/2.5M	75x10,3	2 1/2" M	258,00	pz
SC90/3M	90x12,3	3" M	423,00	pz
SC110/4M	110x15,1	4" M	616,00	pz


RACCORDO TERRENDIS				
A saldare acciaio - ottone riscaldamento				
Codice articolo	Tubo PE Ø mm	Tubo PE SP mm	€	um
HC25/27W	25	2,3	30,00	pz
HC32/33W	32	2,9	43,00	pz
HC40/42W	40	3,7	66,00	pz
HC50/48W	50	4,6	98,00	pz
HC63/60W	63	5,8	146,00	pz
HC75/76W	75	6,8	199,00	pz
HC90/89W	90	8,2	325,00	pz
HC110/114W	110	10,0	472,00	pz
HC125/114W	125	11,4	666,00	pz

RACCORDO TERRENDIS				
Intermedio riscaldamento				
Codice articolo	Tubo PE Ø mm	Tubo PE SP mm	€	um
HC25x25	25	2,3	60,00	pz
HC32x32	32	2,9	68,00	pz
HC40x40	40	3,7	106,00	pz
HC50x50	50	4,6	165,00	pz
HC63x63	63	5,8	226,00	pz
HC75x75	75	6,8	446,00	pz
HC90x90	90	8,2	609,00	pz
HC110x110	110	10,0	804,00	pz
HC125x125	125	11,4	1.220,00	pz

RACCORDO TERRENDIS				
Gomito riscaldamento				
Codice articolo	Tubo PE Ø mm	Tubo PE SP mm	€	um
HLC25x25	25	2,3	79,00	pz
HLC32x32	32	2,9	113,00	pz
HLC40x40	40	3,7	157,00	pz
HLC50x50	50	4,6	197,00	pz
HLC63x63	63	5,8	337,00	pz
HLC75x75	75	6,8	531,00	pz
HLC90x90	90	8,2	752,00	pz
HLC110x110	110	10,0	1.273,00	pz
HLC125x125	125	11,4	1.765,00	pz


RACCORDO TERRENDIS				
Intermedio sanitario				
Codice articolo	Tubo PE Ø mm	Tubo PE SP mm	€	um
SC20x20	20	2,8	82,00	pz
SC25x25	25	3,5	85,00	pz
SC32x32	32	4,4	97,00	pz
SC40x40	40	5,5	137,00	pz
SC50x50	50	6,9	204,00	pz
SC63x63	63	8,6	331,00	pz
SC75x63	75	10,3	664,00	pz
SC90x90	90	12,3	923,00	pz
SC110x110	110	15,1	989,00	pz


RACCORDO TERRENDIS				
Punto fisso				
Codice articolo	Tubo PE Ø mm	Filetto	€	um
FP0.75	20 - 25	3/4" M+F	22,00	pz
FP1	32	1" M+F	36,00	pz
FP1.25	40	1 1/4" M+F	77,00	pz
FP1.5	50	1 1/2" M+F	102,00	pz
FP2	63	2" M+F	140,00	pz
FP2.5	75	2 1/2" M+F	210,00	pz
FP3	90	3" M+F	359,00	pz
FP4	110-125	4" M+F	581,00	pz

GOMITO 90° IN OTTONE				
Filetto F-F				
Codice articolo	Filetto	€	um	
EL0.75	3/4" F - F	14,00	pz	
EL1	1" F - F	22,00	pz	
EL1.25	1 1/4" F - F	35,00	pz	
EL1.5	1 1/2" F - F	49,00	pz	
EL2	2" F - F	74,00	pz	
EL2.5	2 1/2" F - F	186,00	pz	
EL3	3" F - F	260,00	pz	
EL4	4" F - F	420,00	pz	

RACCORDO A TEE IN OTTONE				
Filetto F-F-F				
Codice articolo	Filetto	€	um	
TP0.75	3/4" F - F - F	19,00	pz	
TP1	1" F - F - F	30,00	pz	
TP1.25	1 1/4" F - F - F	49,00	pz	
TP1.5	1 1/2" F - F - F	60,00	pz	
TP2	2" F - F - F	90,00	pz	
TP2.5	2 1/2" F - F - F	187,00	pz	
TP3	3" F - F - F	220,00	pz	
TP4	4" F - F - F	584,00	pz	


MANICOTTO IN OTTONE				
Filetto F-F				
Codice articolo	Filetto	€	um	
SL0.75	3/4" F - F	10,00	pz	
SL1	1" F - F	17,00	pz	
SL1.25	1 1/4" F - F	24,00	pz	
SL1.5	1 1/2" F - F	32,00	pz	
SL2	2" F - F	50,00	pz	
SL2.5	2 1/2" F - F	100,00	pz	
SL3	3" F - F	137,00	pz	
SL4	4" F - F	321,00	pz	


RIDUZIONE IN OTTONE Filetto M - F			
Codice articolo	Filetto	€	um
RB1/0.75	1" M - 3/4" F	8,00	pz
RB1.25/0,75	1 1/4" M - 3/4" F	17,00	pz
RB1.25/1	1 1/4" M - 1" F	20,00	pz
RB1.5/0.75	1 1/2" M - 3/4" F	52,00	pz
RB1.5/1	1 1/2" M - 1" F	32,00	pz
RB1.5/1.25	1 1/2" M - 1 1/4" F	25,00	pz
RB2/0.75	2" M - 3/4" F	56,00	pz
RB2/1	2" M - 1" F	51,00	pz
RB2/1.25	2" M - 1 1/4" F	45,00	pz
RB2/1.5	2" M - 1 1/2" F	39,00	pz
RB2.5/1.25	2 1/2" M - 1 1/4" F	134,00	pz
RB2.5/1.5	2 1/2" M - 1 1/2" F	130,00	pz
RB2.5/2	2 1/2" M - 2" F	120,00	pz
RB3/1	3" M - 1" F	223,00	pz
RB3/1.25	3" M - 1 1/4" F	202,00	pz
RB3/1.5	3" M - 1 1/2" F	205,00	pz
RB3/2	3" M - 2" F	200,00	pz
RB3/2.5	3" M - 2 1/2" F	160,00	pz
RB4/2	4" M - 2" F	480,00	pz
RB4/2.5	4" M - 2 1/2" F	440,00	pz
RB4/3	4" M - 3" F	380,00	pz


NIPPLE IN OTTONE Filetto M-F			
Codice articolo	Filetto	€	um
NI0.75	3/4" M - M	8,00	pz
NI1	1" M - M	10,00	pz
NI1.25	1 1/4" M - M	17,00	pz
NI1.5	1 1/2" M - M	21,00	pz
NI2	2" M - M	38,00	pz
NI2.5	2 1/2" M - M	58,00	pz
NI3	3" M - M	160,00	pz
NI4	4" M - M	267,00	pz


TAPPO IN OTTONE Filettato M			
Codice articolo	Filetto	€	um
PL0.75	3/4" M	8,00	pz
PL1	1" M	10,00	pz
PL1.25	1 1/4" M	17,00	pz
PL1.5	1 1/2" M	21,00	pz
PL2	2" M	37,00	pz
PL2.5	2 1/2" M	63,00	pz
PL3	3" M	161,00	pz
PL4	4" M	264,00	pz


KIT TERRENDIS Di isolamento dirritto			
Codice articolo	Guaina Ø mm	€	um
SIS90/75	90 - 75	124,00	pz
SIS110	110	155,00	pz
SIS140	140	207,00	pz
SIS160	160	234,00	pz
SIS200	200	310,00	pz
SIS225	225	444,00	pz

RIDUZIONE Per kit di isolamento			
Codice articolo	Guaina Ø mm	€	um
RAS 200/75	da 200 a 75	192,00	pz
RAS 200/90	da 200 a 90	206,00	pz
RAS 200/110	da 200 a 110	220,00	pz
RAS 200/125	da 200 a 125	276,00	pz


KIT TERRENDIS Di isolamento a Tee			
Codice articolo	Guaina Ø mm	€	um
TIK140/90	90-110-140	540,00	pz
TIK225/140	140-160-200-225	799,00	pz

MANICOTTO TERRENDIS Termoretraibile			
Codice articolo	Guaina Ø mm	€	um
SSL75	75	34,00	pz
SSL90/110	90 - 110	41,00	pz
SSL110/125	110 -125	43,00	pz
SSL140/160	140 - 160	46,00	pz
SSL160/180	160-180	49,00	pz
SSL200/225	200 - 225	51,00	pz
SSL225/250	225 -250	60,00	pz
SSL250/280	250 - 280	77,00	pz

KIT TERRENDIS Di isolamento a H			
Codice articolo	Guaina Ø mm	€	um
HIC225/140	140-160-200-225	1.350,00	pz

MANICHETTA TERRENDIS In fibrocemento			
Codice articolo	Guaina Ø mm	€	um
WSFI150	75 - 90 - 110	577,00	pz
WSFI200	140	612,00	pz
WSFI250	160 - 200	779,00	pz
WSFI300	225	970,00	pz

KIT TERRENDIS Di isolamento a L			
Codice articolo	Guaina Ø mm	€	um
LIK225/140	140-160-200-225	560,00	pz

MANICHETTE TERRENDIS In PVC			
Codice articolo	Guaina Ø mm	€	um
WSPVC150	75 - 90 - 110	243,00	pz
WSPVC200	140 - 160	317,00	pz
WSPVC250	160 - 200	956,00	pz

POZZETTO TERRENDIS Di ispezione			
Codice articolo	Guaina Ø mm	€	um
UIC225/140	140-160-200-225	2.830,00	pz

